# KELLY-MOORE\* PAINTS The Painter's Paint Store

# SAFETY DATA SHEET

## 1. Identification

Product identifier 1930 KM PROFESSIONAL Water-Oil Hybrid Semi-Gloss Enamel: 121, 222, 333, 555

Other means of identification

Product code 1930

Recommended use Architectural Coating

**Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Company name Kelly-Moore Paint Co., Inc.

Address 987 Commercial St., San Carlos, CA 94070

**Telephone** 1-800-874-4436

E-mail TAlvarez@kellymoore.com

Contact person Tiffany Alvarez

Emergency phone number CHEMTREC: 1-800-424-9300

## 2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Not classified.

OSHA defined hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.

Hazard statement The mixture does not meet the criteria for classification.

**Precautionary statement** 

**Prevention** Observe good industrial hygiene practices.

**Response** Wash hands after handling.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

# 3. Composition/information on ingredients

## **Mixtures**

Chemical name	CAS number	%	
Titanium dioxide	13463-67-7	< 25	
Kaolin	1332-58-7	< 10	
Aluminum hydroxide	21645-51-2	< 5	
Naphtha (petroleum), hydrotreated heavy	64742-48-9	< 5	
Silicon dioxide	7631-86-9	< 5	

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#### 4. First-aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

**Skin contact** Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

1930 KM PROFESSIONAL Water-Oil Hybrid Semi-Gloss Enamel: 121, 222, 333, 555

927808 Version #: 01 Revision date: - Issue date: 25-June-2015

1/7

**Ingestion** Rinse mouth. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed

Treat symptomatically.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

Direct contact with eyes may cause temporary irritation.

protect themselves.

5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

**Special protective equipment** Self-contained breathing apparatus and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

**Specific methods**Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling Conditions for safe storage, including any incompatibilities Avoid prolonged exposure. Observe good industrial hygiene practices.

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

20 mppcf

## 8. Exposure controls/personal protection

## Occupational exposure limits

7631-86-9)

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	
Naphtha (petroleum), hydrotreated heavy (CAS 64742-48-9)	PEL	400 mg/m3	
,		100 ppm	
US. OSHA Table Z-3 (29 CFR 19	10.1000)		
Components	Туре	Value	
Silicon dioxide (CAS	TWA	0.8 mg/m3	

#### **US. ACGIH Threshold Limit Values**

Components	Туре	Value	Form
Aluminum hydroxide (CAS 21645-51-2)	TWA	1 mg/m3	Respirable fraction.

## US. NIOSH: Pocket Guide to Chemical Hazards

Components	Туре	Value	
Naphtha (petroleum), hydrotreated heavy (CAS 64742-48-9)	TWA	400 mg/m3	
		100 ppm	
Silicon dioxide (CAS 7631-86-9)	TWA	6 mg/m3	

**Biological limit values** No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

#### Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove Hand protection

supplier.

Wear suitable protective clothing. Other

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

## 9. Physical and chemical properties

Milky white to colored liquid. **Appearance** 

Liquid. Physical state **Form** Liquid. Color Various.

Odor Slightly ammoniacal.

Not available. **Odor threshold** 

7 - 10 рH

Melting point/freezing point Not available. Initial boiling point and boiling Not available.

range

Flash point Not available. **Evaporation rate** < 1 (n-BuAc=1) Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Relative density

Not available.

Not available.

Not available. **Explosive limit - lower (%)** Explosive limit - upper (%) Not available. Not available. Vapor pressure > 1 (Air=1) Vapor density

1930 KM PROFESSIONAL Water-Oil Hybrid Semi-Gloss Enamel: 121, 222, 333, 555

927808 Version #: 01 Revision date: - Issue date: 25-June-2015

Solubility(ies)

Solubility (water) Moderately soluble

Partition coefficient

Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** Not available. Not available. **Viscosity** 

Other information

**Explosive properties** Not explosive. Oxidizing properties Not oxidizing. VOC (Weight %) 27.67 - 34.72 g/l

# 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. Chemical stability

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

## 11. Toxicological information

## Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact No adverse effects due to skin contact are expected. Direct contact with eyes may cause temporary irritation. Eye contact

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

## Information on toxicological effects

Acute toxicity

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

## Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Inhalation of titanium dioxide dust may cause cancer, however due to the physical form of the Carcinogenicity

product, inhalation of dust is not likely.

## IARC Monographs. Overall Evaluation of Carcinogenicity

Silicon dioxide (CAS 7631-86-9) 3 Not classifiable as to carcinogenicity to humans.

Titanium dioxide (CAS 13463-67-7) 2B Possibly carcinogenic to humans.

## OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

Not classified.

repeated exposure **Aspiration hazard** 

Not an aspiration hazard.

1930 KM PROFESSIONAL Water-Oil Hybrid Semi-Gloss Enamel: 121, 222, 333, 555

**Chronic effects** Prolonged exposure may cause chronic effects.

## 12. Ecological information

The product is not classified as environmentally hazardous. However, this does not exclude the **Ecotoxicity** 

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability

Bioaccumulative potential

No data is available on the degradability of this product.

Mobility in soil This product is moderately water soluble and may disperse in soil.

Other adverse effects None known.

## 13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Dispose in accordance with all applicable regulations. Local disposal regulations

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

## 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to

Not established.

Annex II of MARPOL 73/78 and the IBC Code

## 15. Regulatory information

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard **US** federal regulations

Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - No **Hazard categories** 

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

No

chemical

SARA 313 (TRI reporting)

Not regulated.

SDS US 5/7 927808 Version #: 01 Revision date: - Issue date: 25-June-2015

1930 KM PROFESSIONAL Water-Oil Hybrid Semi-Gloss Enamel: 121, 222, 333, 555

## Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

#### **US** state regulations

#### **US. Massachusetts RTK - Substance List**

Kaolin (CAS 1332-58-7)

Naphtha (petroleum), hydrotreated heavy (CAS 64742-48-9)

Silicon dioxide (CAS 7631-86-9) Titanium dioxide (CAS 13463-67-7)

#### US. New Jersey Worker and Community Right-to-Know Act

Kaolin (CAS 1332-58-7)

Naphtha (petroleum), hydrotreated heavy (CAS 64742-48-9)

Silicon dioxide (CAS 7631-86-9) Titanium dioxide (CAS 13463-67-7)

## US. Pennsylvania Worker and Community Right-to-Know Law

Kaolin (CAS 1332-58-7)

Naphtha (petroleum), hydrotreated heavy (CAS 64742-48-9)

Silicon dioxide (CAS 7631-86-9)

Titanium dioxide (CAS 13463-67-7)

#### **US. Rhode Island RTK**

Not regulated.

#### **US. California Proposition 65**

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

## US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Benzene (CAS 71-43-2) Ethylbenzene (CAS 100-41-4) Toluene (CAS 108-88-3)

#### International Inventories

Country(s) or region

Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

<sup>\*</sup>A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

Inventory name

Issue date 25-June-2015

**Revision date** Version # 01

1930 KM PROFESSIONAL Water-Oil Hybrid Semi-Gloss Enamel: 121, 222, 333, 555 6/7 927808 Version #: 01 Revision date: - Issue date: 25-June-2015

On inventory (yes/no)\*

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

HMIS® ratings Health: 1

Flammability: 1 Physical hazard: 0

**Disclaimer** Kelly-Moore Paint Co., Inc. cannot anticipate all conditions under which this information and its

product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently

available.

1930 KM PROFESSIONAL Water-Oil Hybrid Semi-Gloss Enamel: 121, 222, 333, 555 927808 Version #: 01 Revision date: - Issue date: 25-June-2015