

Page 1/8

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 22.05.2013

Version number 2

Revision: 22.05.2013

SECTION 1: Identification of the substance/mixture and of the company/undertaking

• Date of compilation: 26.10.2009

· 1.1 Product identifier

· Trade name: <u>RATIONAL Grill cleaner for RATIONAL CleanJet®</u> and for manual cleaning

· Article number(s): 9006.0153

• 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

· Application of the substance / the preparation: Alkaline cleaner / detergent

 1.3 Details of the supplier of the safety data sheet
 Manufacturer / Supplier: Rational AG Iglinger Straße 62 D-86899 Landsberg

*Tel.:* ++49-(0)8191 - 32 70 *Fax:* ++49-(0)8191 - 21735

· E-mail address of the competent person responsible for the Safety Data Sheet: info@rational-online.com

• *Informing department: Quality management* 

· 1.4 Emergency telephone number:

Internationale Giftzentrale Tel.: +49-(0)89-19240 "Rechts der Isar"

**SECTION 2: Hazards identification** 

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008



Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

<u>Classification according to Directive 67/548/EEC or Directive 1999/45/EC</u>

C; Corrosive

R35: Causes severe burns.

· Information concerning particular hazards for human and environment:

Acid burns have to treated immediately, as it may otherwise cause badly curing wounds.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

- The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms



· Signal word Danger

• *Hazard-determining components of labelling: Potassium hydroxide* 

(Contd. on page 2)

Printing date 22.05.2013

Version number 2

Revision: 22.05.2013

## Trade name: RATIONAL Grill cleaner for RATIONAL CleanJet® and for manual cleaning

	(Contd. of page 1)
Hazard statements	
H290 May be corro	sive to metals.
H314 Causes sever	e skin burns and eye damage.
Precautionary state	ements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P260	Do not breathe mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
	<i>IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</i>
P310	Immediately call a POISON CENTER or doctor/physician.
	<i>IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.</i>
P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
	Store locked up.
2.3 Other hazards	
Results of PBT and	l vPvB assessment
<b>PBT:</b> Not applicable	
<b>vPvB:</b> Not applicab	
TT T	

# SECTION 3: Composition/information on ingredients

## · 3.2 Chemical characterization: Mixtures

· Description: Aqueous solution

· Dangerous components:		
CAS: 1310-58-3	Potassium hydroxide	2.5-10%
EINECS: 215-181-3	🛃 C R35; 🗙 Xn R22	
Index number: 019-002-00-8	Met. Corr.1, H290; Skin Corr. 1A, H314;      Acute Tox. 4,     H302     H302	
CAS: 70592-80-2	Amines, C10-16-alkyldimethyl, N-oxides	< 2.5%
EINECS: 274-687-2	🗙 Xi R38-41; 🌇 N R50	
• Additional information: For	the wording of the listed risk phrases refer to section 16.	
· Ingredients according to Reg	gulation (EC) No 648/2004:	
amphoteric surfactants		< 5%

# **SECTION 4: First aid measures**

• 4.1 Description of first aid measures	
· General information:	
Personal protection for the person providing first aid.	
Immediately remove any clothing contaminated by the product.	
• After inhalation:	
Supply fresh air and call for doctor for safety reasons.	
In case of unconsciousness bring patient into stable side position for transport.	
· After skin contact:	
Instantly wash with water and soap and rinse thoroughly.	
Immediate medical treatment necessary. Failure to treat burns can prevent wounds from he	ealing.
· After eye contact:	
Rinse opened eye for several minutes under running water.	
Call a doctor immediately.	
	$(\mathbf{C}_{2}, \mathbf{r}_{1}, \mathbf{r}_{2}, r$

(Contd. on page 3)

GB

Printing date 22.05.2013

Version number 2

Revision: 22.05.2013

(Contd. of page 2)

Trade name: RATIONAL Grill cleaner for RATIONAL CleanJet® and for manual cleaning

Use eye protection.

• After swallowing:

Drink copious amounts of water and provide fresh air. Instantly call for doctor. Do not induce vomiting - Danger of perforation!

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents Carbon dioxide (CO<sub>2</sub>), extinguishing powder or water spray/fog. Fight larger fires with water spray/fog or alcohol-resistant foam.
- · For safety reasons unsuitable extinguishing agents none
- · 5.2 Special hazards arising from the substance or mixture

Can be released in case of fire: Nitrogen oxides (NOx) Sulphur oxides (SOx) Carbon monoxide (CO) and Carbon dioxide (CO<sub>2</sub>)

- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained breathing apparatus.

· Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

# **SECTION 6:** Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation. Avoid contact with skin and eyes. Use breathing protection against the effects of fumes/dust/aerosol.
  6.2 Environmental precautions: Do not allow to enter drainage system, surface or ground water. Dilute with much water.
  6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Send for recovery or disposal in suitable containers. Dispose of the material collected according to regulations.
- 6.4 Reference to other sections

See Section 8 for information on personal protection equipment.

# **SECTION 7: Handling and storage**

7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Keep containers tightly sealed. Prevent formation of aerosols. Do not inhale aerosols. Avoid skin and eye contact under any circumstances.
Information about protection against explosions and fires: No special measures required.

(Contd. on page 4)

GB

Printing date 22.05.2013

Version number 2

Revision: 22.05.2013

## Trade name: RATIONAL Grill cleaner for RATIONAL CleanJet® and for manual cleaning

(Contd. of page 3)

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and containers:
- Store in the original container.

Observe all local and national regulations for storage of water polluting products.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions:
- Keep container tightly sealed.
- Store in a locked cabinet and out of the reach of children.
- 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· 8.1 Control parameters

· Components with critical values that require monitoring at the workplace:

### 1310-58-3 Potassium hydroxide

WEL (Great Britain) Short-term value: 2 mg/m<sup>3</sup>

· Additional information: The lists that were valid during the compilation were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment
- General protective and hygienic measures
  Keep away from foodstuffs, beverages and food.
  Instantly remove any contaminated garments.
  Do not inhale gases / fumes / aerosols.
  Avoid contact with the eyes and skin.
  Use skin protection cream for preventive skin protection.

Wash hands during breaks and at the end of the work.

Do not eat, drink or smoke while working.

- Breathing equipment: Use breathing protection when aerosol or mist is formed.
- · Protection of hands:

Protective gloves

To avoid skin problems reduce the wearing of gloves to the required minimum.

Check the permeability prior to each renewed use of the glove.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Tightly sealed safety glasses
- · Body protection:
- Protective work clothing

Body protection must be chosen depending on activity and possible exposure.

(Contd. on page 5)

Printing date 22.05.2013

Version number 2

Revision: 22.05.2013

(Contd. of page 4)

# Trade name: RATIONAL Grill cleaner for RATIONAL CleanJet® and for manual cleaning

## · Limitation and supervision of exposure into the environment

Do not allow to enter drainage system, surface or ground water.

0.1 Information on basis abusis al	nud ab annia al mana artica
9.1 Information on basic physical a General Information	ina cnemical properties
Appearance:	
Form:	liquid
Colour:	red
Smell:	characteristic
Odour threshold:	not determined
<i>pH-value (10 g/l) at 20 •C:</i>	11.9
Change in condition	
Melting point/Melting range:	not determined
Boiling point/Boiling range:	~ 100 °C
Flash point:	not applicable
Inflammability (solid, gaseous)	Not applicable.
Ignition temperature:	
Decomposition temperature:	Not determined.
Self-inflammability:	Product is not selfigniting.
Danger of explosion:	Product is not explosive.
Critical values for explosion:	
Lower:	Not determined.
Upper:	Not determined.
Oxidizing properties	not classified as oxidising
Vapor pressure:	Not determined.
Density at 20 °C:	$1.11 \ g/cm^3$
Relative density	Not determined.
Vapour density (AIR = 1):	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	fully miscible
Partition coefficient (n-octanol/wat	t <b>er):</b> Not determined.
Viscosity:	
dynamic:	not determined
kinematic:	not determined
Organic solvents:	0%
9.2 Other information	No further relevant information available.

# **SECTION 10: Stability and reactivity**

· 10.1 Reactivity

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions

Corrosive action on metals

Strong exothermic reaction with acids.

(Contd. on page 6)

#### GB

Printing date 22.05.2013

Version number 2

Revision: 22.05.2013

(Contd. of page 5)

## Trade name: RATIONAL Grill cleaner for RATIONAL CleanJet® and for manual cleaning

10.4 Conditions to avoid No further relevant information available.
10.5 Incompatible materials: Strong oxidizing agents Strong acids
10.6 Hazardous decomposition products: Nitrogen oxides (NOx)

Sulphur oxides (SOx) Carbon monoxide (CO) and Carbon dioxide (CO<sub>2</sub>)

# **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- Acute toxicity:
- · LD/LC50 values that are relevant for classification:

## 1310-58-3 Potassium hydroxide

Oral LD50 365 mg/kg (rat)

- · Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye: Corrosive
- Sensitization: No sensitizing effect known.
- $\cdot$  Additional toxicological information:
- The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:
- Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

The product shows the following dangers according to the calculation method of Regulation (EC) No. 1272/2008 (CLP/GHS):

Skin corr.. 1A

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

According to present knowledge no CMR-effects known.

# **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity:
- 1310-58-3 Potassium hydroxide
- LC50/96 h 80 mg/l (gambusia affinis)
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Must not reach sewage water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous. The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) N° 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Water hazard class 1 (Self-assessment): slightly hazardous for water

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.

(Contd. on page 7)

Printing date 22.05.2013

Version number 2

Revision: 22.05.2013

(Contd. of page 6)

## Trade name: RATIONAL Grill cleaner for RATIONAL CleanJet® and for manual cleaning

· **vPvB:** Not applicable.

• 12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations.

• Waste disposal key number: According to local/national regulations.

• European waste catalogue:

Waste disposal key numbers from EWC have to be assigned depending on origin and processing.

· Uncleaned packagings:

• **Recommendation:** Disposal must be made according to official regulations.

• **Recommended cleaning agent:** Water, if necessary with cleaning agent.

14.1 UN-Number ADR, IMDG, IATA	UN1814
14.2 UN proper shipping name ADR IMDG, IATA	UN 1814 POTASSIUM HYDROXIDE SOLUTION POTASSIUM HYDROXIDE SOLUTION
14.3 Transport hazard class(es)	
ADR	
Strate	
Class	8 (C5) Corrosive substances.
Label	8
IMDG, IATA	
	9 Company and damage
Class Label	8 Corrosive substances. 8
14.4 Packing group ADR, IMDG, IATA	II
14.5 Environmental hazards: Marine pollutant:	NO
14.6 Special precautions for user	Warning: Corrosive substances.
Kemler Number:	80
EMS Number:	F-A,S-B Alkalis
Segregation groups	
14.7 Transport in bulk according to Anne MARPOL73/78 and the IBC Code	e <b>x II of</b> Not applicable.
Transport/Additional information:	Transport by post may be prohibited or restricted.

Printing date 22.05.2013

Version number 2

Revision: 22.05.2013

Trade name: RATIONAL Grill cleaner for RATIONAL CleanJet® and for manual cleaning

	(Contd. of page 7)
·ADR	
$\cdot$ Excepted quantities (EQ):	E2
· Limited quantities (LQ):	1L
· Transport category:	2
· Tunnel restriction code:	E
· UN ''Model Regulation'':	UN1814, POTASSIUM HYDROXIDE SOLUTION, 8, II

## **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· National regulations

· Information about limitation of use: Employment restrictions concerning young persons must be observed.

• Decree to be applied in case of technical fault: Directive 96/82/EC does not apply.

· Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water

• Other regulations, limitations and prohibitive regulations

*Observe restrictions on the marketing and use according to Annex XVII of Regulation (EC) No 1907/2006.* • 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Reasons for changes:

The Material Safety Data Sheet has been revised. Changes in the respective chapters are characterized in the left side edge by \*.

#### · Relevant phrases

 The(se) R- resp. H-phrase(s) are those of the ingredient(s) and do(es) not necessarily represent the classification of the preparation.

 H290 May be corrosive to metals.

 H302 Harmful if swallowed.

 H314 Causes severe skin burns and eye damage.

 H315 Causes skin irritation.

 H318 Causes serious eye damage.

 H400 Very toxic to aquatic life.

 R22 Harmful if swallowed.

R35 Causes severe burns.

- R38 Irritating to skin.
- R41 Risk of serious damage to eyes.
- R50 Very toxic to aquatic organisms.

### • Department issuing MSDS: C.S.B. GmbH Düsseldorfer Str. 113 47809 Krefeld / Germany

Phone: +49 - 2151 - 652086-0 Fax: +49 - 2151 - 652086-9

Abbreviations and acronyms:
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent