

 Safety Data Sheet

 According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

 Revision Date: 04/13/2015
 Date of issue: 04/13/2015

Version: 1.0

SECTION 1: IDENTIFICATION

Product Identifier

Product Form: Substance Product Name: ARMEX[™] MB-12 Blast Media

CAS No: 144-55-8 **Formula:** NaHCO₃

Intended Use of the Product

Blast Media.

Name, Address, and Telephone of the Responsible Party

Company

Church & Dwight 500 Charles Ewing Blvd Ewing Township, NJ 08628 T 1-800-524-1328

www.churchdwight.com

Emergency Telephone Number

Emergency Number : For Medical Emergency: 1-888-234-1828, For Chemical Emergency: 1-800-424-9300 (CHEMTREC)

SECTION 2: HAZARDS IDENTIFICATION

<u>Classification of the Substance or Mixture</u> Classification (GHS-US)

Not classified

Label Elements

GHS-US Labeling

No labeling applicable

<u>Other Hazards</u> Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions. Prolonged contact with dust can produce mechanical irritation.

Unknown Acute Toxicity (GHS-US) Not available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Substances

Name

: Sodium Bicarbonate

| CAS No | : 144-55-8 |
|--------|------------|

| Name | Product Identifier | % (w/w) | Classification (GHS-US) | | |
|--------------------|--------------------|---------|-------------------------|--|--|
| Sodium Bicarbonate | (CAS No) 144-55-8 | 100 | Not classified | | |

SECTION 4: FIRST AID MEASURES

Description of First Aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice.

Inhalation: When symptoms occur: go into open air and ventilate suspected area.

Skin Contact: Brush off loose particles from skin. Rinse immediately with plenty of water. Obtain medical attention if irritation develops or persists.

Eye Contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. Obtain medical attention if irritation persists.

Ingestion: Rinse mouth. Do NOT induce vomiting. Seek medical attention if a large amount is swallowed.

Most Important Symptoms and Effects Both Acute and Delayed

General: None expected under normal conditions of use.

Inhalation: Prolonged inhalation of dust may cause respiratory irritation.

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Skin Contact: Skin contact with large amounts of dust may cause mechanical irritation.

Eye Contact: Contact may cause irritation due to mechanical abrasion.

Ingestion: Large doses may produce systemic alkalosis and expansion in extracellular fluid volume with edema.

Chronic Symptoms: None expected under normal conditions of use.

Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Use extinguishing media appropriate for surrounding fire.

Unsuitable Extinguishing Media: For surrounding fire: Use of heavy stream of water may spread fire.

Special Hazards Arising From the Substance or Mixture

Fire Hazard: NOT FLAMMABLE . Under fire conditions, hazardous fumes will be present.

Explosion Hazard: Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

Advice for Firefighters

Precautionary Measures Fire: Wear self-contained breathing apparatus when entering area unless atmosphere is proved to be safe. **Firefighting Instructions:** Exercise caution when fighting any chemical fire.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO₂). Sodium oxides.

Reference to Other Sections

Refer to section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Handle in accordance with good industrial hygiene and safety practice. Do not breathe dust or fumes. Avoid skin and eye contact.

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area.

Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

Methods and Material for Containment and Cleaning Up

For Containment: Contain and collect as any solid.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Avoid generation of dust during clean-up of spills. Keep in suitable, closed containers for disposal. Contact competent authorities after a spill.

Reference to Other Sections

See heading 8, Exposure Controls and Personal Protection.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Additional Hazards When Processed: When heated, material emits irritating fumes.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work.

Conditions for Safe Storage, Including Any Incompatibilities

Storage Conditions: Store in a dry, cool and well-ventilated place. Keep container closed when not in use.

Incompatible Materials: Acids. Water. Lime.

Storage Temperature: < 65 °C (150 °F)

Specific End Use(s) Abrasive blast media

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

| Particulates not otherwise classified (PNOC) | | | | |
|--|---------------------------|---|--|--|
| USA ACGIH | ACGIH TWA (mg/m³) | 3 mg/m ³ Respirable fraction | | |
| | | 10 mg/m ³ Total Dust | | |
| USA OSHA | OSHA PEL (TWA) (mg/m³) | 5 mg/m ³ Respirable fraction | | |
| | | 15 mg/m ³ Total Dust | | |
| Alberta | OEL TWA (mg/m³) | 10 mg/m ³ (total) | | |
| British Columbia | OEL TWA (mg/m³) | 10 mg/m ³ (total dust) | | |
| Manitoba | OEL TWA (mg/m³) | 10 mg/m ³ (inhalable particles, recommended) | | |
| New Brunswick | OEL TWA (mg/m³) | 3 mg/m ³ (particulate matter containing no Asbestos and <1% Crystalline | | |
| | | silica, respirable fraction) | | |
| Newfoundland & Labrador | OEL TWA (mg/m³) | 10 mg/m ³ (inhalable particles, recommended) | | |
| Nova Scotia | OEL TWA (mg/m³) | 10 mg/m ³ (inhalable particles, recommended) | | |
| Nunavut | OEL TWA (mg/m³) | 5 mg/m ³ (respirable mass) | | |
| Northwest Territories | OEL TWA (mg/m³) | 5 mg/m ³ (respirable mass) | | |
| Ontario | OEL TWA (mg/m³) | 10 mg/m ³ (inhalable) | | |
| Prince Edward Island | OEL TWA (mg/m³) | 10 mg/m ³ (inhalable particles, recommended) | | |
| Québec | VEMP (mg/m ³) | 10 mg/m ³ (including dust, inert or nuisance particulates; containing no | | |
| | | Asbestos and <1% Crystalline silica-total dust) | | |
| Saskatchewan | OEL STEL (mg/m³) | 20 mg/m ³ (insoluble or poorly soluble-inhalable fraction) | | |
| | | 6 mg/m ³ (insoluble or poorly soluble-respirable fraction) | | |
| Saskatchewan | OEL TWA (mg/m³) | 10 mg/m ³ (insoluble or poorly soluble-inhalable fraction) | | |
| | | 3 mg/m ³ (insoluble or poorly soluble-respirable fraction) | | |

Exposure Controls

Appropriate Engineering Controls: For occupational/workplace settings: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

Personal Protective Equipment: For occupational or bulk quantities: Gloves. Safety glasses. Dust formation: dust mask.



Materials for Protective Clothing: For occupational or bulk quantities: Chemically resistant materials and fabrics.

Hand Protection: For occupational or bulk quantities: Wear chemically resistant protective gloves.

Eye Protection: For occupational or bulk quantities: Chemical goggles or safety glasses.

Respiratory Protection: Use a NIOSH-approved respirator or self-contained breathing apparatus whenever exposure may exceed established Occupational Exposure Limits.

Other Information: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

| Physical State | : Solid |
|---------------------------|-----------------------------|
| Appearance | : White, crystalline powder |
| Odor | : None |
| Odor Threshold | : Not available |
| рН | : 8.2 (1% Solution) |
| Evaporation Rate | : Not available |
| Melting Point | : Not available |
| Freezing Point | : Not available |
| Boiling Point | : Not available |
| Flash Point | : Not available |
| Auto-ignition Temperature | : Not available |
| | |

Safety Data Sheet

| According To Federal Register / Vol. 77, No. 58 / Mon | day, March 26, 2012 / Rules And Regulations |
|---|---|
| Decomposition Temperature | : Not available |
| Flammability (solid, gas) | : Not available |
| Upper/Lower Flammable Limit | : Not available |
| Vapor Pressure | : Not available |
| Relative Vapor Density at 20 °C | : Not available |
| Specific gravity / density | : 62 lb/ft ³ |
| Specific Gravity | : Not available |
| Solubility | : Water: 8.6 g/100ml @ 20 °C (68 °F) |
| Partition Coefficient: N-octanol/water | : Not available |
| Viscosity | : Not available |
| Explosion Data – Sensitivity to Mechanic | |
| Explosion Data – Sensitivity to Static Disc | |
| SECTION 10: STABILITY AND REACT | |
| Reactivity: Hazardous reactions will not | |
| | on exposure to water (moisture). |
| - | zardous polymerization will not occur. |
| | ure or moist air. Temperatures above 150°F (65 °C). |
| Incompatible Materials: Acids. Water. | |
| | one known. At high temperature may liberate toxic gases. |
| SECTION 11: TOXICOLOGICAL INFO | |
| Information on Toxicological Effects | - <u>Product</u> |
| Acute Toxicity: Not classified | |
| LD50 and LC50 Data: | |
| ARMEX [™] MB-12 Blast Media | |
| LD50 Oral Rat | 7.3 g/kg |
| | |
| LC50 Inhalation Rat | > 4.7 mg/l/4h |
| Skin Corrosion/Irritation: Not classified [| oH: 8.2 (1% Solution)] |
| Skin Corrosion/Irritation: Not classified [] Serious Eye Damage/Irritation: Not classi | oH: 8.2 (1% Solution)] ified [pH: 8.2 (1% Solution)] |
| Skin Corrosion/Irritation: Not classified [Serious Eye Damage/Irritation: Not classi Respiratory or Skin Sensitization: Not cla | oH: 8.2 (1% Solution)] ified [pH: 8.2 (1% Solution)] |
| Skin Corrosion/Irritation: Not classified [Serious Eye Damage/Irritation: Not classi Respiratory or Skin Sensitization: Not cla Germ Cell Mutagenicity: Not classified | oH: 8.2 (1% Solution)] ified [pH: 8.2 (1% Solution)] |
| Skin Corrosion/Irritation: Not classified [] Serious Eye Damage/Irritation: Not classi Respiratory or Skin Sensitization: Not cla Germ Cell Mutagenicity: Not classified Teratogenicity: Not classified | oH: 8.2 (1% Solution)] ified [pH: 8.2 (1% Solution)] |
| Skin Corrosion/Irritation: Not classified [] Serious Eye Damage/Irritation: Not classified Respiratory or Skin Sensitization: Not cla Germ Cell Mutagenicity: Not classified Teratogenicity: Not classified Carcinogenicity: Not classified | oH: 8.2 (1% Solution)] ified [pH: 8.2 (1% Solution)] ssified |
| Skin Corrosion/Irritation: Not classified [] Serious Eye Damage/Irritation: Not classi Respiratory or Skin Sensitization: Not cla Germ Cell Mutagenicity: Not classified Teratogenicity: Not classified Carcinogenicity: Not classified Specific Target Organ Toxicity (Repeated | oH: 8.2 (1% Solution)] ified [pH: 8.2 (1% Solution)] ssified |
| Skin Corrosion/Irritation: Not classified [] Serious Eye Damage/Irritation: Not classified Respiratory or Skin Sensitization: Not classified Germ Cell Mutagenicity: Not classified Teratogenicity: Not classified Carcinogenicity: Not classified Specific Target Organ Toxicity (Repeated Reproductive Toxicity: Not classified | bH: 8.2 (1% Solution)] fied [pH: 8.2 (1% Solution)] ssified Exposure): Not classified |
| Skin Corrosion/Irritation: Not classified [] Serious Eye Damage/Irritation: Not classi Respiratory or Skin Sensitization: Not classi Germ Cell Mutagenicity: Not classified Teratogenicity: Not classified Carcinogenicity: Not classified Specific Target Organ Toxicity (Repeated Reproductive Toxicity: Not classified Specific Target Organ Toxicity (Single Exp | bH: 8.2 (1% Solution)] fied [pH: 8.2 (1% Solution)] ssified Exposure): Not classified |
| Skin Corrosion/Irritation: Not classified [] Serious Eye Damage/Irritation: Not classified Respiratory or Skin Sensitization: Not classified Germ Cell Mutagenicity: Not classified Teratogenicity: Not classified Carcinogenicity: Not classified Specific Target Organ Toxicity (Repeated Reproductive Toxicity: Not classified Specific Target Organ Toxicity (Single Exp Aspiration Hazard: Not classified | oH: 8.2 (1% Solution)] fied [pH: 8.2 (1% Solution)] ssified Exposure): Not classified posure): Not classified |
| Skin Corrosion/Irritation: Not classified [] Serious Eye Damage/Irritation: Not classified Respiratory or Skin Sensitization: Not classified Germ Cell Mutagenicity: Not classified Teratogenicity: Not classified Carcinogenicity: Not classified Specific Target Organ Toxicity (Repeated Reproductive Toxicity: Not classified Specific Target Organ Toxicity (Single Exp Aspiration Hazard: Not classified Symptoms/Injuries After Inhalation: Prol | bH: 8.2 (1% Solution)] ified [pH: 8.2 (1% Solution)] ssified Exposure): Not classified posure): Not classified onged inhalation of dust may cause respiratory irritation. |
| Skin Corrosion/Irritation: Not classified [] Serious Eye Damage/Irritation: Not classified Respiratory or Skin Sensitization: Not classified Germ Cell Mutagenicity: Not classified Teratogenicity: Not classified Carcinogenicity: Not classified Specific Target Organ Toxicity (Repeated Reproductive Toxicity: Not classified Specific Target Organ Toxicity (Single Exp Aspiration Hazard: Not classified Symptoms/Injuries After Inhalation: Prol Symptoms/Injuries After Skin Contact: Sl | bH: 8.2 (1% Solution)] ified [pH: 8.2 (1% Solution)] ssified Exposure): Not classified posure): Not classified onged inhalation of dust may cause respiratory irritation. kin contact with large amounts of dust may cause mechanical irritation. |
| Skin Corrosion/Irritation: Not classified [] Serious Eye Damage/Irritation: Not classified Respiratory or Skin Sensitization: Not classified Germ Cell Mutagenicity: Not classified Teratogenicity: Not classified Carcinogenicity: Not classified Specific Target Organ Toxicity (Repeated Reproductive Toxicity: Not classified Specific Target Organ Toxicity (Single Exp Aspiration Hazard: Not classified Symptoms/Injuries After Inhalation: Prol Symptoms/Injuries After Skin Contact: Sl Symptoms/Injuries After Eye Contact: Co | bH: 8.2 (1% Solution)] ified [pH: 8.2 (1% Solution)] ssified Exposure): Not classified posure): Not classified onged inhalation of dust may cause respiratory irritation. kin contact with large amounts of dust may cause mechanical irritation. ontact may cause irritation due to mechanical abrasion. |
| Skin Corrosion/Irritation: Not classified [] Serious Eye Damage/Irritation: Not classified Respiratory or Skin Sensitization: Not classified Germ Cell Mutagenicity: Not classified Teratogenicity: Not classified Carcinogenicity: Not classified Specific Target Organ Toxicity (Repeated Reproductive Toxicity: Not classified Specific Target Organ Toxicity (Single Exp Aspiration Hazard: Not classified Symptoms/Injuries After Inhalation: Prol Symptoms/Injuries After Skin Contact: Sl Symptoms/Injuries After Eye Contact: Co | bH: 8.2 (1% Solution)] ified [pH: 8.2 (1% Solution)] ssified Exposure): Not classified posure): Not classified onged inhalation of dust may cause respiratory irritation. kin contact with large amounts of dust may cause mechanical irritation. |
| Skin Corrosion/Irritation: Not classified [] Serious Eye Damage/Irritation: Not classified Respiratory or Skin Sensitization: Not classified Germ Cell Mutagenicity: Not classified Teratogenicity: Not classified Carcinogenicity: Not classified Specific Target Organ Toxicity (Repeated Reproductive Toxicity: Not classified Specific Target Organ Toxicity (Single Exp Aspiration Hazard: Not classified Symptoms/Injuries After Inhalation: Prol Symptoms/Injuries After Skin Contact: St Symptoms/Injuries After Ingestion: Large | bH: 8.2 (1% Solution)] ified [pH: 8.2 (1% Solution)] ssified Exposure): Not classified posure): Not classified onged inhalation of dust may cause respiratory irritation. kin contact with large amounts of dust may cause mechanical irritation. ontact may cause irritation due to mechanical abrasion. e doses may produce systemic alkalosis and expansion in extracellular fluid volume with |
| Skin Corrosion/Irritation: Not classified [] Serious Eye Damage/Irritation: Not classified Respiratory or Skin Sensitization: Not classified Germ Cell Mutagenicity: Not classified Teratogenicity: Not classified Carcinogenicity: Not classified Specific Target Organ Toxicity (Repeated Reproductive Toxicity: Not classified Specific Target Organ Toxicity (Single Exp Aspiration Hazard: Not classified Symptoms/Injuries After Inhalation: Prol Symptoms/Injuries After Eye Contact: Sc Symptoms/Injuries After Ingestion: Large edema. Chronic Symptoms: None expected under | aH: 8.2 (1% Solution)] fied [pH: 8.2 (1% Solution)] ssified Exposure): Not classified oosure): Not classified onged inhalation of dust may cause respiratory irritation. kin contact with large amounts of dust may cause mechanical irritation. ontact may cause irritation due to mechanical abrasion. e doses may produce systemic alkalosis and expansion in extracellular fluid volume with r normal conditions of use. |
| Skin Corrosion/Irritation: Not classified [] Serious Eye Damage/Irritation: Not classified Respiratory or Skin Sensitization: Not classified Germ Cell Mutagenicity: Not classified Teratogenicity: Not classified Carcinogenicity: Not classified Specific Target Organ Toxicity (Repeated Reproductive Toxicity: Not classified Specific Target Organ Toxicity (Single Exp Aspiration Hazard: Not classified Symptoms/Injuries After Inhalation: Prol Symptoms/Injuries After Skin Contact: Sl Symptoms/Injuries After Ingestion: Large edema. Chronic Symptoms: None expected unde SECTION 12: ECOLOGICAL INFORM | aH: 8.2 (1% Solution)] ified [pH: 8.2 (1% Solution)] ssified Exposure): Not classified oosure): Not classified onged inhalation of dust may cause respiratory irritation. kin contact with large amounts of dust may cause mechanical irritation. ontact may cause irritation due to mechanical abrasion. e doses may produce systemic alkalosis and expansion in extracellular fluid volume with r normal conditions of use. |
| Skin Corrosion/Irritation: Not classified [] Serious Eye Damage/Irritation: Not classified Respiratory or Skin Sensitization: Not classified Germ Cell Mutagenicity: Not classified Teratogenicity: Not classified Carcinogenicity: Not classified Specific Target Organ Toxicity (Repeated Reproductive Toxicity: Not classified Specific Target Organ Toxicity (Single Exp Aspiration Hazard: Not classified Symptoms/Injuries After Inhalation: Prol Symptoms/Injuries After Skin Contact: SI Symptoms/Injuries After Ingestion: Large edema. Chronic Symptoms: None expected unde SECTION 12: ECOLOGICAL INFORM Toxicity No additional information avail | aH: 8.2 (1% Solution)] ified [pH: 8.2 (1% Solution)] ssified Exposure): Not classified oosure): Not classified onged inhalation of dust may cause respiratory irritation. kin contact with large amounts of dust may cause mechanical irritation. ontact may cause irritation due to mechanical abrasion. e doses may produce systemic alkalosis and expansion in extracellular fluid volume with r normal conditions of use. |
| Skin Corrosion/Irritation: Not classified [] Serious Eye Damage/Irritation: Not classified Respiratory or Skin Sensitization: Not classified Germ Cell Mutagenicity: Not classified Teratogenicity: Not classified Carcinogenicity: Not classified Specific Target Organ Toxicity (Repeated Reproductive Toxicity: Not classified Specific Target Organ Toxicity (Single Exp Aspiration Hazard: Not classified Symptoms/Injuries After Inhalation: Prol Symptoms/Injuries After Skin Contact: SI Symptoms/Injuries After Ingestion: Large edema. Chronic Symptoms: None expected unde SECTION 12: ECOLOGICAL INFORM Toxicity No additional information avail ARMEX™ MB-12 Blast Media | bH : 8.2 (1% Solution)] Ified [pH : 8.2 (1% Solution)] ssified Exposure) : Not classified posure) : Not classified onged inhalation of dust may cause respiratory irritation. kin contact with large amounts of dust may cause mechanical irritation. postact may cause irritation due to mechanical abrasion. e doses may produce systemic alkalosis and expansion in extracellular fluid volume with r normal conditions of use. ATION |
| Skin Corrosion/Irritation: Not classified [] Serious Eye Damage/Irritation: Not classified Respiratory or Skin Sensitization: Not classified Germ Cell Mutagenicity: Not classified Teratogenicity: Not classified Carcinogenicity: Not classified Specific Target Organ Toxicity (Repeated Reproductive Toxicity: Not classified Specific Target Organ Toxicity (Single Exp Aspiration Hazard: Not classified Symptoms/Injuries After Inhalation: Prol Symptoms/Injuries After Skin Contact: SI Symptoms/Injuries After Ingestion: Large edema. Chronic Symptoms: None expected unde SECTION 12: ECOLOGICAL INFORM Toxicity No additional information avail ARMEX™ MB-12 Blast Media LC50 Fish 1 | bH : 8.2 (1% Solution)] Ified [pH : 8.2 (1% Solution)] ssified Exposure) : Not classified posure) : Not classified onged inhalation of dust may cause respiratory irritation. kin contact with large amounts of dust may cause mechanical irritation. potate may cause irritation due to mechanical abrasion. e doses may produce systemic alkalosis and expansion in extracellular fluid volume with r normal conditions of use. ATION able 7100 mg/l Bluegill |
| Skin Corrosion/Irritation: Not classified [] Serious Eye Damage/Irritation: Not classified Respiratory or Skin Sensitization: Not classified Germ Cell Mutagenicity: Not classified Teratogenicity: Not classified Carcinogenicity: Not classified Specific Target Organ Toxicity (Repeated Reproductive Toxicity: Not classified Specific Target Organ Toxicity (Single Exp Aspiration Hazard: Not classified Symptoms/Injuries After Inhalation: Prol Symptoms/Injuries After Skin Contact: SI Symptoms/Injuries After Ingestion: Large edema. Chronic Symptoms: None expected unde SECTION 12: ECOLOGICAL INFORM Toxicity No additional information avail ARMEX [™] MB-12 Blast Media LC50 Fish 1 EC50 Daphnia 1 | bH: 8.2 [1% Solution]] ified [pH: 8.2 (1% Solution)] ssified Exposure]: Not classified posure]: Not classified onged inhalation of dust may cause respiratory irritation. kin contact with large amounts of dust may cause mechanical irritation. ontact may cause irritation due to mechanical abrasion. e doses may produce systemic alkalosis and expansion in extracellular fluid volume with r normal conditions of use. ATION able 7100 mg/l Bluegill 4100 mg/l |
| Skin Corrosion/Irritation: Not classified [] Serious Eye Damage/Irritation: Not classi Respiratory or Skin Sensitization: Not classi Respiratory or Skin Sensitization: Not cla Germ Cell Mutagenicity: Not classified Teratogenicity: Not classified Specific Target Organ Toxicity (Repeated Reproductive Toxicity: Not classified Specific Target Organ Toxicity (Single Exp Aspiration Hazard: Not classified Symptoms/Injuries After Inhalation: Prol Symptoms/Injuries After Skin Contact: SI Symptoms/Injuries After Eye Contact: Co Symptoms/Injuries After Ingestion: Large edema. Chronic Symptoms: None expected unde SECTION 12: ECOLOGICAL INFORM Toxicity No additional information avail ARMEX™ MB-12 Blast Media LC50 Fish 1 EC50 Daphnia 1 LC 50 Fish 2 | bH : 8.2 (1% Solution)] Ified [pH : 8.2 (1% Solution)] ssified Exposure) : Not classified posure) : Not classified onged inhalation of dust may cause respiratory irritation. kin contact with large amounts of dust may cause mechanical irritation. potate may cause irritation due to mechanical abrasion. e doses may produce systemic alkalosis and expansion in extracellular fluid volume with r normal conditions of use. ATION able 7100 mg/l Bluegill |
| Skin Corrosion/Irritation: Not classified [] Serious Eye Damage/Irritation: Not classified Respiratory or Skin Sensitization: Not classified Germ Cell Mutagenicity: Not classified Teratogenicity: Not classified Carcinogenicity: Not classified Specific Target Organ Toxicity (Repeated Reproductive Toxicity: Not classified Specific Target Organ Toxicity (Single Exp Aspiration Hazard: Not classified Symptoms/Injuries After Inhalation: Prol Symptoms/Injuries After Skin Contact: SI Symptoms/Injuries After Ingestion: Large edema. Chronic Symptoms: None expected unde SECTION 12: ECOLOGICAL INFORM Toxicity No additional information avail ARMEX™ MB-12 Blast Media LC50 Fish 1 EC50 Daphnia 1 LC 50 Fish 2 Sodium Bicarbonate (144-55-8) | bH: 8.2 (1% Solution)] ified [pH: 8.2 (1% Solution)] ssified Exposure): Not classified oosure): Not classified onged inhalation of dust may cause respiratory irritation. kin contact with large amounts of dust may cause mechanical irritation. ontact may cause irritation due to mechanical abrasion. e doses may produce systemic alkalosis and expansion in extracellular fluid volume with r normal conditions of use. ATION able 7100 mg/l Bluegill 4100 mg/l 7700 mg/l Rainbow Trout |
| Skin Corrosion/Irritation: Not classified [] Serious Eye Damage/Irritation: Not classi Respiratory or Skin Sensitization: Not classi Respiratory or Skin Sensitization: Not cla Germ Cell Mutagenicity: Not classified Teratogenicity: Not classified Specific Target Organ Toxicity (Repeated Reproductive Toxicity: Not classified Specific Target Organ Toxicity (Single Exp Aspiration Hazard: Not classified Symptoms/Injuries After Inhalation: Prol Symptoms/Injuries After Skin Contact: SI Symptoms/Injuries After Eye Contact: Co Symptoms/Injuries After Ingestion: Large edema. Chronic Symptoms: None expected unde SECTION 12: ECOLOGICAL INFORM Toxicity No additional information avail ARMEX™ MB-12 Blast Media LC50 Fish 1 EC50 Daphnia 1 LC 50 Fish 2 | bH: 8.2 [1% Solution]] ified [pH: 8.2 (1% Solution)] ssified Exposure]: Not classified posure]: Not classified onged inhalation of dust may cause respiratory irritation. kin contact with large amounts of dust may cause mechanical irritation. ontact may cause irritation due to mechanical abrasion. e doses may produce systemic alkalosis and expansion in extracellular fluid volume with r normal conditions of use. ATION able 7100 mg/l Bluegill 4100 mg/l |

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Persistence and Degradability Not established

Bioaccumulative Potential Not established

Mobility in Soil Not available

Other Adverse Effects

Other Information: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

SECTION 14: TRANSPORT INFORMATION

In Accordance with DOTNot regulated for transportIn Accordance with IMDGNot regulated for transportIn Accordance with IATANot regulated for transport

In Accordance with TDG Not regulated for transport

In accordance with TDS Not regulated for transport

SECTION 15: REGULATORY INFORMATION

US Federal & International Regulations

Sodium Bicarbonate (144-55-8)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on the Canadian DSL (Domestic Substances List)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

US State Regulations

Neither this product nor its chemical components appear on any US state lists.

Canadian Regulations

Sodium Bicarbonate (144-55-8)

Listed on the Canadian DSL (Domestic Substances List)

WHMIS Classification Uncontrolled product according to WHMIS classification criteria

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

| Revision Date | |
|-------------------|--|
| Other Information | |

: 04/13/2015

: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

Party Responsible for the Preparation of This Document

Church & Dwight 500 Charles Ewing Blvd Ewing Township, NJ 08628 T 1-800-524-1328

This Product Safety Data Sheet is offered solely for your information, consideration and investigation. Church & Dwight Co., Inc. provides no warranties; either expressed or implied, and assumes no responsibility for the accuracy or completeness of data contained herein. Church & Dwight Co., Inc. urges persons receiving this information to make their own determination as to the information suitability for their particular application.

North America GHS US 2012 & WHMIS 2